

ETSI ES 203 811-2 V1.1.1 (2022-09)



**Integrated broadband cable  
telecommunication networks (CABLE);  
Sixth generation transmission systems for interactive cable  
television services - IP cable modem;  
Part 2: Physical layer; DOCSIS<sup>®</sup> 4.0  
[ANSI/SCTE 262-1 2020]**

---

**Reference**

DES/CABLE-0029-2

---

**Keywords**access, broadband, CABLE, DOCSIS,  
endorsement, IP, IPCable**ETSI**650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our  
Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2022.  
All rights reserved.

---

# Contents

Intellectual Property Rights .....	4
Foreword.....	4
Modal verbs terminology.....	4
1 Scope .....	5
2 References .....	5
2.1 Normative references .....	5
2.2 Informative references.....	6
3 Definition of terms, symbols and abbreviations.....	7
3.1 Terms.....	7
3.2 Symbols.....	7
3.3 Abbreviations .....	7
Endorsement notice .....	7
History .....	8

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Foreword

This ETSI Standard (ES) has been produced by ETSI Technical Committee Integrated broadband cable telecommunication networks (CABLE).

The present document is part 2 of a multi-part deliverable. Full details of the entire series can be found in part 1 [2].

DOCSIS® is a registered trade mark of Cable Television Laboratories, Inc., and is used in the present document with permission.

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

# 1 Scope

The present document provides the ETSI endorsement of ANSI/SCTE standard ANSI/SCTE 262-1 [1].

ANSI/SCTE 262-1 [1] is part of a series of standards that defines the sixth generation of high-speed data-over-cable systems and is based on a set of specifications commonly referred to as DOCSIS 4.0 specifications. This generation of the DOCSIS specifications builds upon the previous generations of DOCSIS specifications (commonly referred to as the DOCSIS 3.1 and earlier specifications), leveraging the existing Media Access Control (MAC) and Physical (PHY) layers. It includes backward compatibility for the existing PHY layers in order to enable a seamless migration to the new technology. Further, the DOCSIS 4.0 specifications introduce Full Duplex (FDX) DOCSIS PHY layer technology as an expansion of the OFDM PHY layer introduced in the DOCSIS 3.1 PHY specification to increase upstream capacity without significant loss of downstream capacity versus DOCSIS 3.1. The DOCSIS 4.0 specification also builds upon DOCSIS 3.1 OFDM and OFDMA technology with an extended Frequency Division Duplex (FDD) DOCSIS alternative. DOCSIS 4.0 FDD supports legacy high split and also provides extended splits up to 684 MHz in an operational band plan which is referred to as Ultra-High Split (UHS). DOCSIS 4.0 FDD also introduces expansion of usable downstream spectrum up to 1 794 MHz. Both the FDX and FDD DOCSIS 4.0 alternatives are based on OFDM PHY.

There are differences in the cable spectrum planning practices adopted for different networks in the world. For the OFDM PHY layer defined in the present document, there is flexibility to deploy the technology in any spectrum plan; therefore, no special accommodation for different regions of the world is required for this PHY layer.

However, due to the inclusion of the DOCSIS 3.0 PHY layers for backward compatibility purposes, there is still a need for different region-specific physical layer technologies. Therefore, three options for physical layer technologies are included in the present document, which have equal priority and are not required to be interoperable. One technology option is based on the downstream channel identification plan that is deployed in North America using 6 MHz spacing. The second technology option is based on the corresponding European multi-program television distribution. The third technology option is based on the corresponding Chinese multi-program television distribution. All three options have the same status, notwithstanding that the document structure does not reflect this equal priority. The first of these options is defined in clauses 5 and 6 of [i.1], whereas the second is defined by replacing the content of those clauses with the content of Annex C of [i.2]. The third is defined by replacing the content of those clauses with the content of Annex D of [i.2]. Correspondingly, [13] and [i.3] apply only to the first option, and [4] applies to the second and third. Compliance with the present document requires compliance with one of these implementations, but not with all three. It is not required that equipment built to one option interoperates with equipment built to the other.

Compliance with frequency planning and EMC requirements is not covered by the present document and remains the operators' responsibility. In this respect, [10] and [11] are relevant to the USA; [3] and [i.4] to Canada; [i.6], [5], [6], [7], [8] and [9] are relevant to the European Union; [12] and [i.5] are relevant to China.

ANSI/SCTE 262-1 [1] defines the interface for the physical layer, and corresponds to the CableLabs specification CM-SP-PHYv4.0-I02-200429 [i.1].

---

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ANSI/SCTE 262-1 2020: "DOCSIS 4.0 Part 1: Physical Layer Specification".

- [2] ETSI ES 203 811-1: "Integrated broadband cable telecommunication networks (CABLE); Sixth generation transmission systems for interactive cable television services - IP cable modem; Part 1: General; DOCSIS® 4.0".
- [3] IEC CISPR 22:2008 (2008): "Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement".
- NOTE: IEC CISPR 22:2008 has been withdrawn; see also EN 55032 produced by CENELEC and ETSI EN 300 386.
- [4] ETSI EN 300 429 (V1.2.1): "Digital Video Broadcasting (DVB); Framing structure, channel coding and modulation for cable systems".
- [5] EN 60728-11:2017: "Cable networks for television signals, sound signals and interactive services - Part 11: Safety", produced by CENELEC.
- [6] EN 50083-2 (2005): "Cable networks for television signals, sound signals and interactive services -- Part 2: Electromagnetic compatibility for equipment", produced by CENELEC.
- [7] EN 60728-1:2014: "Cable networks for television signals, sound signals and interactive services - Part 1: System performance of forward paths", produced by CENELEC.
- [8] EN 61000-6-4 (2001): "Electromagnetic compatibility (EMC) -- Part 6-4: Generic standards - Emission standard for industrial environments", produced by CENELEC.
- [9] EN 61000-6-3 (2001): "Electromagnetic compatibility (EMC) -- Part 6-3: Generic standards - Emission standard for residential, commercial and light-industrial environments", produced by CENELEC.
- [10] Code of Federal Regulations, Title 47, Part 15 (October 2005).
- [11] Code of Federal Regulations, Title 47, Part 76 (October 2005).
- [12] Standardization Administration of People's Republic of China (SAC): "Audio, video and similar electronic apparatus-Safety requirements".
- NOTE: Available at <http://www.sac.gov.cn/sacen/>.
- [13] Recommendation ITU-T J.83 (2007): "Digital multi-program systems for television sound and data services for cable distribution", Annex B.

## 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Cable Television Laboratories, Inc.: "DOCSIS 4.0 Physical Layer Specification", CM-SP-PHYv4.0-I02-200429.
- [i.2] Cable Television Laboratories, Inc.: "DOCSIS 3.1 Physical Layer Specification", CM-SP-PHYv3.1-I17-190917.
- [i.3] CTA-542-D (2013): "Consumer Technology Association Standard: Cable Television Channel Identification Plan".
- [i.4] Information Technology Equipment (ITE): "Limits and methods of measurement".

[i.5] Standardization Administration of People's Republic of China (SAC): "Equipments and components used in cabled distribution systems primarily intended for television and sound signals--Part 1: Generic specifications".

NOTE: Available at <http://www.sac.gov.cn/sacen/>.

[i.6] ETSI EG 201 212 (V1.2.1): "Electrical safety; Classification of interfaces for equipment to be connected to telecommunication networks".

---

## 3 Definition of terms, symbols and abbreviations

### 3.1 Terms

For the purposes of the present document, the terms given in ANSI/SCTE 262-1 [1] apply.

### 3.2 Symbols

For the purposes of the present document, the symbols given in ANSI/SCTE 262-1 [1] apply.

### 3.3 Abbreviations

For the purposes of the present document, the abbreviations given in ANSI/SCTE 262-1 [1] apply.

---

## Endorsement notice

All elements of ANSI/SCTE 262-1 [1] shall apply without modifications.

---

# History

<b>Document history</b>		
V1.1.1	July 2022	Membership Approval Procedure MV 20220923: 2022-07-25 to 2022-09-23
V1.1.1	September 2022	Publication